



Year Model: 2018 CHU613
 VIN: 1M1AN07YXJM028688
 Order Number: 072895
 Build Date:
 In Service Date: 02/22/2018

APPLICATION PACKAGES

Code	Description	Family
0220000	NO PILOT REQUESTED	PILOT INSPECTION
MPPRISE	RAWHIDE PACKAGE, EXTERIOR ONLY, PINNACLE SLEEPER	MACK PACKAGE RAWHIDE

APPLICATION PACKAGES: 2 Items

ENGINE/TRANSMISSIONS

Code	Description	Family
08AA1X	2.25 DEGREE ENGINE CRANK ANGLE	ENGINE CRANK ANGLE
1001780	MP8-505E MACK 505HP @ 1400-1700 RPM (PEAK) 1800 RPM (GOV) 18	ENGINE
1361501	TMD12AFO mDRIVE 12 SP-MACK(OVERDRIVE)	TRANSMISSION
2MCA1X	GREEN HOUSE GAS COMPLETE VEHICLE & COMPLETE CERTIFICATION	VEHICLE GHG CERTIFICATION
3GCA1X	GREEN HOUSE GAS HIGHWAY APPLICATION	GHG APPLICATION, VEHICLE
3TABNX	ENGINE POWER 505HP	ENGINE POWER
5037001	MACK MP8 SERIES	ENGINES-GENERAL DESCRIPT
5121000	MACK	TRANSMISSION VENDOR
8680000	MECHANICAL TRANSMISSION	AUTOMATIC TRANSMISSION
B960017	EPA-2017 DIESEL ENGINE W/CEGR/DPF/SCR	ENGINE EMISSIONS LEVEL
CJXAAX	EXHAUST GAS RECIRCULATION, COOLED	EXHAUST GAS RECIRCULATION
DPXF5X	13 L. PROPRIETARY ENGINE	ENGINE TYPE
H1BAAX	TURBO SINGLE STAGE	TURBO FAMILY FOR 2017
HEX05X	MACK ENGINE	ENGINE MANUFACTURER
HFXLAX	1800 RPM ,GOVERNED ENGINE RPM	GOVERNED ENGINE RPM
HHXX8X	2100 NM - 2511 NM, DUAL ENGINE TORQUE	ENGINE TORQUE RANGES
KTXVPX	ENGINE EMISSION, LEVEL USA2017	ENGINE EMISSION CONTROL
N1CC1X	DRIVELINE TECHNOLOGY, COMBUSTION	DRIVELINE TECHNOLOGY
N8CC1X	ENGINE FUEL CONCEPT LIQUID FUEL	ENGINE FUEL CONCEPT
Q1CD4X	GEAR-SELECTION TUNING, TOP4	GEAR SELECTION TUNING
QWXA1X	TURBO BASIC DESIGN	TURBO
REXC1X	CRANK CASE VENTILATION OPEN EXTENDED	CRANK CASE VENTILATION
RTX05X	MECHANICAL TRANSMISSION	TRANSMISSION TYPE
RUXF1X	AUTOMATED GEAR SHIFTING	GEAR SHIFTING SYSTEM
RWXH5X	VPT AUTOMATED TRANSMISSION 2600NM OVERDRIVE	TRANSMISSION
RXXA1X	VPT TRANSMISSION	TRANSM. MANUFACTURER
U3AF8X	HIGHEST GEAR RATIO, 0.78	HIGH GEAR RATIO (TRANSMISSION)
U6AA1X	ENGINE GOVERNOR TYPE MIN-MAX	ENGINE GOVERNOR TYPE
U9AH0X	2ND HIGHEST GEAR RATIO, 1.00	SECOND HIGH GEAR RATIO TRANS

ENGINE/TRANSMISSIONS: 29 Items

EXHAUST/EMISSIONS

Code	Description	Family
0100015	DUAL HEAT SHIELD,ELBOW & STACK	EXHAUST - BRIGHT FINISH
0RAD1X	DPF REG CONTROL, AUTO IN MOTION, MAN STAT, INHIBIT ALLOWED	REGENERATION CONTROLS, DPF
1304101	CAB MTD DUAL VERT STACKS W/7" BULLHORNS W/ 48" SLEEPER	EXHAUST
1LAK1X	SELECTIVE CATALYST REDUCTION, HORZ RHS INTEGRATED	SCR ORIENTATION
2ACZ1X	GREEN HOUSE GAS SOFT TOP FACTOR, 0 MINUTES	GHG VSL SOFT TOP FACTOR
2BCZ1X	GHG SPEED LIMITER EXPIRATION MILEAGE 0 MILES	GHG VSL EXPIRATION MILEAGE
4RAA2X	SCR SYSTEM EQUIPMENT, ELECTRICALLY HEATED	SCR SYSTEM EQUIPMENT
5BAAAX	EXHAUST HEAT SHIELD TYPE, BASIC	EXHAUST HEAT SHIELD TYPE
78AC5X	EMISSION OBD, DISPLAY ONLY, USA2016	EMISSION ON BOARD DIAG CONTROL
8NAD1X	DPF COVER STAINLESS STEEL, POLISHED, SOLID (RAWHIDE STYLE)	DPF COVER
9KAB1X	IDLE EMISSION CERTIFICATION, CARB 08	IDLE EMISSION CERTIFICATION
CIR0003	IDLE EMISSION CERTIFICATION, CARB (WITH DECAL LOCATED ON LOW	IDLE EMISSION CERTIFICATION
DF11170	70L / 26" DIA SEMI TANK LEFT SIDE FRAME MTD	DEF TANK
DPF0111	CLEARTECH ONE BOX E.A.T.S, RH SIDE UNDER CAB US17	DPF DIESEL PARTICULATE FILTER
G8BA1X	AD-BLUE TANK MTG LOC, FRAME RAIL	AD-BLUE TANK MOUNTING LOCATION
K0XE1X	STRAIGHT STACK, BULLHORNS SHAPE END, WIDE	EXHAUST STACK FEATURES
KLXN1X	EXHAUST DIRECTION, VERTICAL DUAL, CAB SIDE (BEHIND DOORS)	EXHAUST DIRECTION
KRXD1X	EXHAUST STACK 4.1 METRE, HEIGHT OVER GROUND (13' 5")	EXHAUST STACK HEIGHT
KSXK1X	SELECTIVE CATALYST REDUCTION + DPF INTEGRATED, VOLVO ENG.	EXHAUST AFTERTREATMENT SYSTEM
MLXBMX	AD-BLUE TANK 70 LITER LEFT HAND SIDE	AD-BLUE TANK LEFT HAND SIDE
QOAF2X	BRIGHT DUAL EXHAUST SYSTEM MATERIAL FINISH, INCLUDE ELBOW	EXHAUST SYSTEM MATERIAL FINISH
T5AH1X	DIESEL PARTICULATE FILTER, HORZ RHS INTERGRATED	DPF ORIENTATION
TOXABX	DEF TANK MATERIAL, PLASTIC	AD-BLUE TANK MATERIAL
U0XA5X	SEMI RECTANGULAR DEF TANKS FOR DIAM 66 BRACKETS	AD-BLUE TANK SHAPE
U6BC1X	DEF TANK COVER, BRIGHT FINISH	AD-BLUE TANK COVER
V5CC1X	OBD EMISSIONS, CONSEQUENCE 1	OBD EMISSIONS CONSEQUENCE
V6CC1X	ON BOARD DIAG EMISSIONS PHASE A REGULATIONS	OBD EMISSIONS PHASE REGULATION
Y7BC1X	IDLE EMISSION LABEL LOCATION, LOWER DRIVER DOOR CORNER	IDLE EMISSION LABEL LOCATION

EXHAUST/EMISSIONS: 28 Items

CLUTCH/TRANS EQUIPMENT

Code	Description	Family
MBXA1X	STANDARD FUEL FILTER POSITION	PRIMARY FUEL FILTER POSITION
MOXAAX	BATTERY SHOCK PADS	BATTERY ISOLATION
NXA5X	12V STANDARD STARTER DELCO 39MTHD	STARTER
NDXA1X	WITH STARTING AID	ENGINE STARTING AID



Year Model: 2018 CHU613
 VIN: 1M1AN07YXJM028688
 Order Number: 072895
 Build Date:
 In Service Date: 02/22/2018

O8AE1X	ENGINE PTO TORQUE CAPACITY 1000NM	ENGINE PTO TORQUE CAPACITY
PJXMNX	12V 160AMP BRUSHED	ALTERNATOR CAPACITY
Q8AF1X	TWO BATTERY BOX, 4 BATTERIES MAX	B-BOX QTY AND BATT PER BOX
QHXC1X	OIL PAN STEEL	OIL SUMP
R5DA1X	RADIATOR APPLICATION, BASIC	RADIATOR APPLICATION
VVXAZX	1 CYL. 530 L/MIN. COMPRESSOR	COMPRESSOR CAPACITY
1100800	MACK ENGINE BRAKE POWER LEASH FOR MP8	ENGINE BRAKE
L9XA1X	GENERIC BATTERY	BATTERY MANUFACTURER
L8XH6X	4 BATTERIES, 760 CCA	BATTERY CAPACITY
LSXF1X	POLISHED ALUMINUM BATTERY BOX COVER	BATTERY BOX COVER
L4X24X	BOTH SIDE BATTERY BOXES	BATTERY BOX MOUNTING
KXXA1X	SMALL AIR CLEANER	AIR CLEANER SIZE
KWXA1X	ONE STAGE AIR CLEANER (PRIMARY)	AIR CLEANER TYPE
K9X09X	ANTI-FREEZE -37C (-34F) EXTENDED LIFE COOLANT	COOLANT
JVXDEX	DAVCO FUEL PRO 382 FILTER/SEP/FL HT/12V PREHEAT	PRIMARY FUEL FILTER
JTXAAX	BEHR FAN CLUTCH	FAN CLUTCH MANUFACTURER
JSXA3X	VISCOUS FAN CLUTCH, ELECTRIC CONTROLLED	FAN CLUTCH TYPE
JMXB1X	BRAKE LIGHTING, BASIC	ENGINE BRAKE LIGHTING
JAXA2X	41 DEG. C ATB COOLING CAPACITY	COOLING CAPACITY
J3XA1X	SINGLE ENGINE MOUNTED FUEL FILTER	FUEL FILTER SECONDARY
HWXD1X	SPIN ON CANISTER W/O CHEMICAL FOR USE W/ EXTENDED LIFE COOLA	COOLANT FILTER / CONDITIONER
HTXA8X	VPT ENGINE BRAKE 6 WITHOUT EPG AND VARIABLE GEOMETRI TURBO	ENGINE BRAKE TYPE
HLX05X	RUBBER COOLANT HOSE	COOLANT HOSE
H9XK1X	NARROW RADIATOR WITH LENGTH 3 (80 DM2)	RADIATOR TYPE
H6XA1X	BUG NET, SINGLE, BEHIND THE GRILLE	RADIATOR SCREEN
EFXASX	120VOLT,150WATT OIL PAN HEATER	ENGINE OIL PAN HEATER
C4XE1X	ANTI-FREEZE MANUFACTURER CHEVRON	COOLANT MANUFACTURER
9DCE1X	COOLANT PUMP SPEED RATIO, VARIABLE	COOLANT PUMP SPEED RATIO
64AB1X	ALTERNATOR MANUFACTURER-LEECE NEVILLE	ALTERNATOR MANUFACTURER
5NXA1X	110 VOLT / 1.5 KW, ENGINE BLOCK HEATER	ENGINE BLOCK HEATER
5081005	NARROW RADIATOR WITH LENGTH 3 (80 DM2), 41 DEG C ATB,COOLIN	COOLING PERFORMANCE
4CCC1X	ALTERNATOR CABLE AMP RATING, LOW (UP TO 165 AMPS)	ALTERNATOR CABLE AMP RATING
40AA1X	COOLING HOSES CLAMP, BASIC	COOLING HOSES CLAMP OPTIONS
4050002	BATTERY BOX COVER, POLISHED ALUMINUM	BATTERY BOX COVERS
3939006	2 BOXES UNDER CAB, ONE EACH SIDE, FORWARD OF FUEL TANKS	BATTERY BOX - MOUNTING
36AA1X	TETHER DEVICE PKG 1 (OIL FILL & EXP TNK CAPS)	TETHER DEV PKG, CAPS & COVERS
3410001	CONTROLLED BY KEY SWITCH	DO NOT USE - ENGINE SHUTOFF
3166106	4-12V MACK M/F 31 760 CCA THREADED STUD TYPE	BATTERIES
2931001	DAVCO 382 (FLUID HTD)/12V PREHEAT; W/VENDOR PRIM & MACK	FUEL-WATER SEPARATOR
1VAAX	AIR INTAKE SOURCE, HOOD OUTSIDE	AIR INTAKE SOURCE
1UAABX	AIR CLEANER HOUSING MATERIAL, PLASTIC	AIR CLEANER HOUSING MATERIAL
1400002	ALUMINUM (LIGHTWEIGHT)	FLYWHEEL HOUSING
1321111	12V160A LEECE NEVILLE BRUSH TYPE	ALTERNATOR
1311215	12 VOLT DELCO MTHD39	STARTER
1250101	11" SINGLE ELEMENT DONALDSON	AIR CLEANER
1240003	MACK BRAND EPDM RADIATOR & HEATER HOSES	HOSES - RADIATOR/HEATER
1219001	BLACK ALUM MOUNTED BEHIND GRILLE	BUG SCREEN
1192000	CHEVRON EXTENDED LIFE COOLANT W/O NITRITES(50/50 MIX DYED RE	COOLANT PROTECTION
1180026	BEHR FAN & ELECTRONIC MODULATING VISCOUS FAN DRIVE	FAN DRIVE
1134100	MERITOR/WABCO 318 (18.7 CFM)	AIR COMPRESSOR

CLUTCH/TRANS EQUIPMENT: 54 Items

FRONT AXLE EQUIPMENT

Code	Description	Family
1335201	ZF/SACHS SINGLE PLATE 17" (430MM) ORGANIC MATERIAL	CLUTCH
1390026	OIL COOLER - M-DRIVE GEAR BOX MTD. LH SIDE WATER TO OIL COOL	TRANSMISSION OIL COOLER
1920002	TRANSMISSION BELL HOUSING, ALUMINUM	TRANSMISSION BELL HOUSING
1952204	DANA/SPICER SPL350	DRIVELINE - MAIN
2042203	DANA/SPICER SPL250HDXL EXTENDED LUBE SERIES	DRIVELINE - INTERAXLE
31AA1X	HILL START ASSIST	HILL START ASSIST
4921402	MACK mDRIVE-PREMIUM SHIFTER	GEAR SHIFT
6RAA1X	TRANS. PERF. MODE, ENABLED W/ AUTO RETURN TO ECONOMY MODE	TRANSMISSION PERFORMANCE MODE
65AA1X	TRANS. KICK-DOWN MODE, ENABLED	TRANSMISSION KICK-DOWN MODE
76AA1X	PROPELLER SHAFT MAIN, UNIVERSAL JOINT HALF-ROUND TYPE	PROPELLR SHAFT MAIN, UNVSL JNT
77AB1X	PROP SHAFT DIMENSION, INTERAXLE, LARGE	PROP SHAFT DIMENSION INTERAXLE
7RXB1X	SYNTHETIC OIL IN TRANSMISSION	LUBRICANTS, TRANSMISSION
8WAAAX	PROP SHAFT INTERAXLE, UNIV JOINT HALF-ROUND TYPE	PROP SHAFT INTERAXL UNIV JOINT
9040001	HALF-ROUND	DRIVESHAFT UNIVERSL JOINT
A6BC1X	AMT VOCATIONAL OPTION BASIC	AMT VOCATION OPTION
B1EA1X	TRANSMISSION AUTO NEUTRAL ON P-BRAKE	
CNXNAX	TRANSM. SOFTWARE PACK, PREMIUM	TRANSMISSION SOFTWARE PACKAGE
K1DG1X	TRANSM OIL PROPERTIES 5 STD 1273,18	TRANSMISSION OIL PROPERTIES
M050017	MACK mDRIVE- NORMAL PERFORMANCE MODE- AUTO RETURN (premium)	TRANS SHIFT MODE POINTS
M080002	ECONO ROLL DISABLE mDRIVE (REQUIRED FOR ALL OTHER TRANSMISSI	ECO ROLL
QPXAAX	TRANSMISSION APPLICATION BASIC	TRANSMISSION APPLICATION



Year Model: 2018 CHU613
 VIN: 1M1AN07YXJM028688
 Order Number: 072895
 Build Date:
 In Service Date: 02/22/2018

RAXA2X	1 (SINGLE) PLATE 17" (430MM), ORGANIC, B VERSION	CLUTCH TYPE
RXCB1X	ALUMINUM BELL HOUSING	BELL HOUSING
RDXD1X	SACHS CLUTCH	CLUTCH MANUFACTURER
RVXG1X	GEAR SHIFTING, BASIC	GEAR SHIFT LEVER
SL40003	50W SYNTHETIC LUBRICANT, EATON/ROCKWELL TRANS	SYNTHETIC LUBRICANT - TRANSMISSION
T2XB1X	MEC.TRAN. OIL COOL. WAT./OIL, HIGH PERF. VERS 2, GEARB.MOUNT	TRANSMISSION/RETARDER COOLER
THXC2X	PROP.SHAFT MANUF. BY SPICER WITH XL U-JOINTS	PROPELLER SHAFT MANUFACTURER
X9CZ1X	ENGINE SMART TORQUE FEATURE, DISABLED	ENGINE SMART TORQUE FEATURE

FRONT AXLE EQUIPMENT: 29 Items

FRAME EQUIPMENT/FUEL TANKS

Code	Description	Family
0KX1X	ALUMINUM PRESET HUB, FRONT W/ INTEGRATED SPINDLE NUT	HUB MATERIAL, FRONT
1BXI2X	PREMIUM HUB OIL SEAL, FRONT	HUB OIL SEAL, FRONT
1KAA1X	SHOCK ABSORBER, FRONT	SHOCK ABSORBER, FRONT
2401514	FXL12 12000 LB-MACK (HIGH OFFSET) 5500 KG TAPERED SPINDL	FRONT AXLE
2416310	MACK AIR DISC BRAKES, 430MM, 17"	BRAKES - FRONT
2441006	12,000LB HD TAPERLEAF 5400KG	SPRINGS - FRONT
2452215	HD94 SHEP-PWR(INTEGRAL)	STEERING
3850001	DOUBLE ACTING TYPE FRONT SHOCK ABSORBERS	SHOCK ABSORBERS - FRONT
6ZXA1X	FRONT MUDGUARD, BASIC	MUDGUARD TYPE, FRONT AXLE
7VXA1X	PETROLEUM OIL IN FRONT AXLE	LUBRICANTS, FRONT AXLE
FTXD1X	LOW GROUND CLEARANCE - HIGH OFFSET	GROUND CLEARANCE F.A.
FUXA1X	FRONT AXLE, BASIC	FRONT AXLE CONCEPT
FVXD0X	FRONT AXLE LOAD 5.4 TONNES (12000 LBS)	FRONT AXLE LOAD
FWXA1X	FRONT AXLE	FRONT AXLE MANUFACTURER
FXXD1X	1 * 5.5 TONNES, FRONT AXLE	FRONT AXLE TYPE CAPACITY
FZXA1X	1 FRONT AXLE, 0 DRIVEN	FRONT AXLE ARRANGEMENT
IRXC1X	MAINTENANCE FREE, RUBBER SPRING EYE BUSHINGS	FRONT SUSP MAINTENANCE
K4AE1X	SPINDLE NUTS, FRONT, INTERGRATED	SPINDLE NUTS, FRONT
LQXT2X	BRAKE LINING MATERIAL, FRONT, TMD T7070 (use on disc)	BRAKE LINING MATERIAL FRONT
OSBC3X	FRONT BRAKE CHAMBER 22SQ INCHES (SERVICE)	FRONT BRAKE CHAMBER SIZE
SL60000	FACTORY OPTION LUBE-FRONT WHEEL BEARINGS	SYNTHETIC LUBRICANT - WHL BEARINGS
U0AF1X	FRONT BRAKE ADJUSTMENT, AUTOMATIC PROPRIETARY	FRONT BRAKE ADJ. MANUFACTURE
U3XD1X	BRAKE, FRONT, DISC LIGHT WEIGHT	BRAKE, FRONT
U5XF1X	FRONT, DISC BRAKE DIAMETER 430MM	BRAKE DIMENSION, FRONT
UAXA1X	BRAKE SYSTEM, CONVENTIONAL	BRAKE SYSTEM
UDXZ1X	FRONT BRAKES WITHOUT DUST SHIELDS	FRONT AXLE BRAKE DUST SHIELD
V4AC2X	FRONT WHEEL BRAKE TYPE, DISC (L BRAKE)	WHEEL BRAKE TYPE, FRONT
V7AF1X	FRONT BRAKE CHAMBER MANUFACTURER, WABCO	FRONT BRAKE CHAMBER MFG.
X8AD1X	FRONT WHEEL BRAKE MANUFACTURER, PROPRIETARY	WHEEL BRAKE MANUFACTURE, FRONT
XAXA2X	STEERING GEAR RATIO 16.9, FIXED, (HD94)	STEERING GEAR RATIO
YFAX5X	PARABOLIC SPRING (STIFFER THAN NORMAL) FRONT	FRONT SPRING TYPE
YKXA1X	LEAF (MECHANICAL) SUSPENSION FRONT	FRONT SUSPENSION SYSTEM
ZGXE1X	HUBCAP, FRONT, VISIBLE, DRAIN	FRONT HUBCAP TYPE

FRAME EQUIPMENT/FUEL TANKS: 33 Items

AIR/BRAKE

Code	Description	Family
XYXA1X	REAR SUSP TRANSVERSE TORQUE RODS, ALL DRIVE AXLES	TRANSVERSE TORQUE RODS, R SUSP
YXF1X	AIR SPRING, REAR	REAR SPRING TYPE
YLBX1X	REAR SUSPENSION SYSTEM, AIR	REAR SPRING SYSTEM
YVXA1X	SHOCK ABSORBER, REAR	REAR SHOCK ABSORBER
ZAXA1X	ELECTRICAL REGULATION LEVELLING DEVICE	SUSPENSION LEVELLING DEVICE
ZMXA1X	ESP BASIC PACKAGE	ESP PACKAGE
0180153	CRDP150/151 AVAILABLE WITH OPTIONAL DRIVER CONTROLLED INTERW	CARRIER/RATIO - REAR AXLE
0284000	VPT HAGERSTOWN - CPO FILE	REAR AXLE SUPPLIER- FBO
0380002	REAR AXLE CASING HEAVY DUTY	RR AXLE CASING DUTY RATNG
0391650	16.5" DIAMETER	REAR BRAKE DIAMETER
0960005	MACK TANDEM AIR	REAR SUSPENSION
0LX1X	ALUMINUM PRESET HUB, DRIVE W/ INTEGRATED SPINDLE NUT	HUB MATERIAL, DRIVE
1861507	AL401 -MACK AIR SUSP (MX. 55,000 L. GVW)	REAR SUSPENSION - TANDEM
1CXI2X	DRIVE HUB SEAL, PREMIUM	HUB OIL SEAL, DRIVE
2340010	WITH SHOCK ABSORBER, ALL REAR AXLES	SHOCK ABSORBERS - REAR
2370002	AUX SPRING BRAKE QTY, 4 CHAMBERS	SPRING BRAKE CHAMBERS - QUANTITY
2539006	MERITOR "S" CAM - 16.5"x7" STAMPED SPIDER Q PLUS HIGHWAY ON	BRAKES - REAR
2560003	IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT	POWER DIVIDER LOCKOUT
2570311	3.11	CARRIER/RATIO - REAR AXLE - RATIO
2681018	S40 40000LB-MACK 18100KG	REAR AXLE/SUSPENSION - TANDEM
2690052	52"	
2XBA1X	REAR SUSPENSION DEMAND, BASIC	REAR SUSPENSION DEMAND
3009011	MGM TR 30/30 LP3 BRAKE CHAMBERS	SPRING BRAKE CHAMBERS - VENDOR
3290002	TRANSVERSE TORQUE ROD, ALL DRIVE AXLES	TRANSVERSE TORQUE RODS
38AJCX	MACK TANDEM CARRIER,CRD150/151	REAR AXLE DIFF CARRIER TYPE
3LAC1X	POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT	DIFFERENTIAL LOCK SWITCH
4790001	30/30 TYPE	SPRING BRAKE CHAMBERS - SIZE



Year Model: 2018 CHU613
 VIN: 1M1AN07YXJM028688
 Order Number: 072895
 Build Date:
 In Service Date: 02/22/2018

4AAA1X	REAR SUSPENSION MANUFACTURER, MACK	REAR SUSPENSION DESIGN
5110001	CAM	REAR BRAKE TYPE
6982000	MACK ROAD STABILITY ADVANTAGE BENDIX ABS/ATC/RSA W/YAW CNTRL	ANTI-LOCK BRAKE SYSTEM
6GAAX	DRV AXL SPNDL LOAD RATING R SRIES (23.6T TAND 11.8T SING)	DRIVE AXLE SPINDLE LOAD RATING
6MAA1X	REAR AXLE CASING WIDTH, STANDARD	REAR AXLE CASING WIDTH
7170001	ABS 4SENSOR/4MODULATOR SYSTEM REAR WHEEL END SENSORS	ABS SENSOR/CHANNEL OPTION
7WXA1X	PETROLEUM OIL IN REAR AXLE	LUBRICANTS, REAR AXLE
8824000	40000 LB. 18100 KG.	REAR AXLE RATING
8830002	INTEGRATED TYPE	REAR AXLE SPINDLE NUT
8880001	PDLO	PDLO
9790001	FACTORY OPTION WELD ON ABS	WELD ON ABS BLOCK OPTION
9GAAAX	ABS 4 SENSORS & 4 MODULATORS (FRONT & REAR AXLES)	ABS SENSOR & MODULATOR
CAR0080	80000 LB (36000 KG) GCW/GVW	CARRIER APPLICATION
F1XH1X	REAR AXLE LOAD 18 TONNES (40000 LBS)	REAR AXLE LOAD
F2XAIX	2 AXLE, 2 DRIVE, 4 AIR HENDRICKSON (HAS 400)	REAR AXLE INSTALLATION
GWXBXY	BOGIE SPREAD, 1320MM (52.0")	BOGIE SPREAD, REAR
J6DB1X	AIR SUSPENSION DUMP, SPEED LIMITED, WARNING IND & BUZZER	AIR SUSPENSION DUMP WARNING
MAXBJX	BRAKE LINING MATERIAL DRIVE, MERITOR SOR2003	BRAKE LINING MATERIAL DRIVE
N2AE1X	SPINDLE NUTS, MAIN AXLE, INTERGRATED	SPINDLE NUTS, MAIN AXLE
O6ABHX	18 TONNES, REAR SUSPENSION CAPACITY (40000 LBS)	REAR SUSPENSION CAPACITY
R1XK1X	DOUBLE REDUCTION REAR AXLE, MACK	REAR AXLE TYPE
R2XBBX	TANDEM AXLE 18.1T, GCW68T, DOUBLE RED, MACK (SB38/S40)	REAR AXLE
R3XB1X	WELDED REAR AXLE CASING	REAR AXLE CASING TYPE
R6XB1X	REAR AXLE CASING, HEAVY DUTY	REAR AXLE CASING DUTY RATING
R9XA1X	REAR AXLE DIFF CARRIER HOUSING MATERIAL - IRON	DIFFERENTIAL HOUSING MATERIAL
SL30000	FACTORY OPTION LUBE / TANDEM REAR AXLE	LUBRICANT - TANDEM REAR AXLE
TAXAUX	RATIO 3.11, REAR AXLE	REAR AXLE RATIO
U1AA1X	REAR BRAKE ADJUSTMENT, AUTOMATIC HALDEX	REAR BRAKE ADJ MANUFACTURE
U4XA1X	BRAKE, DRIVE REAR, DRUM CAST IRON	BRAKE, DRIVE, REAR
U8XA1X	REAR, DRUM BRAKE LINING 175MM	BRAKE DIMENSION, DRIVE
UEXZ1X	REAR DRIVE BRAKES WITHOUT DUSTSHIELDS	DRIVE AXLE BRAKE DUST SHIELD
UGXA1X	AUXILIARY PARK, TWO EXTRA PARKING BRAKE CHAMBERS	AUX PARKING BRAKE CHAMBERS
UIXB1X	LOW MOUNTED BRAKE CYLINDER	BRAKE CYL. LOCATION (CA)
UKXB1X	EXTENDED LENGTH STROKE	BRAKE CYLINDER STROKE LENGTH
UPXC2X	MGM PARK BRAKE CHAMBER	PARK BRAKE CHAMBER MANUFACTURE
URXD1X	BRAKE VALVE VERSION, USA-BENDIX, WHERE POSSIBLE	BRAKE VALVE VERSION
V1AB1X	REAR BRAKE CHAMBER 30 / 30 SQ INCHES (SERVICE/EMERGENCY)	REAR BRAKE CHAMBER SIZE
V5AA2X	REAR WHEEL BRAKE TYPE, "S" CAM , LGHT WEIGHT VER (STAMPED)	WHEEL BRAKE TYPE, REAR
WNX10X	WHEEL SENSOR ANTILOCK BRAKE SYSTEM	ANTILOCK BRAKE SYST.
WPXA1X	WITH TRACTION CONTROL	TRACTION CONTROL
WRXA1X	BENDIX ANTI LOCK BRAKE	ANTI LOCK BRAKE SYS. MFG
X7AA1X	REAR WHEEL BRAKE MANUFACTURER, MERITOR	WHEEL BRAKE MANUFACTURER, REAR
XUXA1X	REAR SUSPENSION HEIGHT STANDARD	REAR SUSPENSION HEIGHT

AIR/BRAKE: 70 Items

ELECTRICAL

Code	Description	Family
UFZX1X	TRAILING BRAKES WITHOUT DUST SHIELDS	TRAIL. AXLE BRAKE DUST SHIELD

ELECTRICAL: 1 Items

TRAILER CONNECTIONS

Code	Description	Family
12AC1X	FUEL LINE OPTION, DUAL DRAW	FUEL LINE OPTIONS
ZIXA1X	CROSSMEMBER, BOGIE, STEEL	CROSSMEMBER, BOGIE, MATERIAL
YDXSWX	REAR FRAME LENGTH, 2095 MM	REAR FRAME LENGTH
YBXGAX	FRAME RAIL EXTERNAL HEIGHT (300MM)	FRAME RAIL SECTION-HEIGHT
YAXF1X	9.5 MM THICK FRAME	FRAME SECTION
X8XB1X	STEEL FORWARD REAR SUSP. CROSSMEMBER	FORW REAR SUSP. X-MEMBER MTRL
X6XB2X	TAPERED CUT TREATMENT 28 DEGREES, REAR FRAME	REAR FRAME TREATMENT
X0XA1X	FRAME FLANGE WIDTH 90MM	FRAME FLANGE WIDTH
UBCFMX	RH FUEL TANK FRONT FACE LOCATION @ X-MAINS018, TANK REARWARD	RH FUEL TANK FACE LOCATION
U7CA1X	LH FUEL TANK FRONT FACE LOCATION @ X-MAIN4065, TANK REARWARD	LH FUEL TANK FACE LOCATION
RFL2095	REAR FRAME LENGTH, 2095 MM	REAR FRAME LENGTH
RAP7740	XM = 7740 MM, REAR AXLE POS	REAR AXLE POSITION
ROAA1X	FUEL TANK, POLISHED	FUEL TANK FINISH
QBXC1X	ACKERMAN SETTING 3, WB BIGGER THAN 5842 MM (230 US INCHES)	ACKERMAN SETTING
QSAD1X	REAR X-MBR TAPERED, FOR 13.6T (30000LBS) GTW PINTLE HOOK	REAR CROSSMEMBER OPTIONS
OAXC1X	BOC AND INTERM X-MBRS C CHANNEL, RIVETED	X-MBR CONFIG AND POSITION
MAM0001	30" to 82"	AFTERFRAME RANGE
KHXB1X	STAINLESS STEEL FUEL TANK STRAPS	FUEL TANK STRAPS MTRL
KFXA1X	NON-LOCKABLE FUEL TANK CAP	FUEL TANK CAP
KEXA1X	FUEL TANK MATERIAL, ALUMINUM	FUEL TANK MATERIAL
KDXB1X	FUEL TANK MOUNTING, DUAL MOUNTED FUEL TANK (LFUEL AND RFUEL)	FUEL TANK MOUNTING
KBXB1X	FUEL TANK, ROUND , DIAM. 660MM (26")	FUEL TANK SHAPE
JHXB1X	FUEL HOSES, WIRE BRAIDED	FUEL HOSES
J9XHJX	RHS FUEL TANK, 540L	FUEL TANK, RIGHT HAND SIDE



Year Model: 2018 CHU613
 VIN: 1M1AN07YXJM028688
 Order Number: 072895
 Build Date:
 In Service Date: 02/22/2018

J8XHJX	LHS FUEL TANK, 540L	FUEL TANK, LEFT HAND SIDE
FFL0745	FRONT FRAME LENGTH 745MM	FRONT FRAME LENGTH
FBXA1X	DIESEL	FUEL TYPE, LIQUID
F3XT4X	XM = 7740 MM, REAR AXLE POS	REAR AXLE POSITION
ADXH2X	FRONT FRAME LENGTH 745MM	FRONT FRAME LENGTH
8EXB1X	STEEL INTERMEDIATE CROSSMEMBER	INTERMEDIATE X-MEMBER MATRL
84AB1X	REAR FENDER MANUFACTURER,FLEETLINE	REAR FENDER MANUFACTURER
7XBA1X	FUEL TANK DRAINAGE, BASIC	FUEL TANK DRAINAGE
6NXH4X	HOLLAND PH-30RP41, PINTLE HOOK	TOWING COUPLING
6LBB1X	FUEL TANK VENTILATION, BASIC	FTVE-BAS
6DAABX	CAB FOOTSTEP MATERIAL/FINISH, POLISHED ALUMINUM	CAB FOOTSTEP MATERIAL/FINISH
69XJ5X	MUDFLAP HNGR,FLEET ENGINEER STRAIGHT INTERNAL SPRING PAINTED	MUDFLAP HANGERS, REAR AXLE
68XC1X	QUARTER FENDER, STAINLESS STEEL, W/ LOGO	REAR FENDER
67XG1X	1STIFF (ANTI-SAIL) MUD FLAP, REAR AXLE	MUDFLAP TYPE, REAR AXLE
4YAAAX	FRAME FASTENERS-HUCK BOLTS	FRAME FASTENINGS
4EXF1X	TWO CLEVIS TOWING DEVICE, FRONT	TOWING DEVICE, FRONT
4DXP1X	BUMPER SS CLAD ALUM, ROUND SWEEP-BACK/U-CHANNEL FLUSH	FRONT BUMPER
4643000	QTR FENDERS - STAINLESS STEEL FLEETLINE	MUD FLAP BRACKETS
3740056	56"	AF (OVERHANG)
2RAA1X	BASIC FUEL LEVEL SENDER MOUNTED ON LH TANK	FUEL LEVEL SENDER UNIT
2HXA1X	BASIC MUDFLAP, FRONT AXLE	MUDFLAP, FRONT AXLE
2902142	142 GAL ALU (540 LITERS) 26IN (660MM)	FUEL TANK - RH
2882142	142 GAL.ALUM (538 LITERS) 26IN (660MM)	FUEL TANK - LH
2860008	FURNISH TAPERED AND FLANGED FRAME RAIL ENDS (28 DEG.)	TAPERED FRAME RAIL ENDS
2811000	STEEL	CROSSMEMBERS
2791300	FLUSH-STAINLESS CLAD ALUMINUM	BUMPER - FRONT
2741027	STEEL - 300MM X 90MM X 9.5MM -- (11.81" X 3.54" X 0.37")	FRAME RAILS
2710237	237"	WHEELBASE
2430007	TWO CLEVIS TOWING DEVICE, FRONT	TOWING DEVICE - FRONT
2230001	BRIGHT FINISH STEPS & BRIGHT FINISH STRAPS	STEPS (BRIGHT) - FUEL TANK
2210001	POLISHED ALUMINUM	FUEL TANKS - BRIGHT FINISH
14AA1X	FUEL FILL SYSTEM, BASIC	FUEL FILL SYSTEM

TRAILER CONNECTIONS: 56 Items

PTO

Code	Description	Family
1JAA BX	PARK BR VALVE, 1 YELLOW KNOB, ALL PARK & 1 RED, TRAILER PARK	PARKING BRAKE VALVE
3020002	TWO VALVE SYSTEM	BRAKE CONTROL VALVE SYSTEM
8HAA1X	AIRTANK ARRANGEMENT, BASIC	AIRTANK ARRANGEMENT
VHXEDX	WABCO AIR DR, 1200UP W/ T CUT OFF VALVE, W COALESC OIL FILTE	AIR DRYER - MANUFACTURER
U2XA2X	ALUMINUM AIRTANK, POLISHED	AIRTANK MATERIAL
UWXD1X	MANUAL DRAIN VALVES, LANYARD ON WET TANK	AIRTANK DRAIN VALVE
KOXA1X	AIR DRYER POSITION STANDARD	AIR DRYER POSITION

PTO: 7 Items

SPECIALTY EQUIPMENT

Code	Description	Family
LSXF1X	STANDARD LOW BEAM	LOW BEAM
Q8CH1X	CHASSIS WIRING HARNESS CASING, HEAVY DUTY	CHASSIS WIRING HARNESS CASING
NEXC1X	TAIL LAMP, MULTIPURPOSE	TAIL LAMPS
LVX40X	SYMMETRIC HEAD LAMP	HEADLAMP ASYMMETRIC

SPECIALTY EQUIPMENT: 4 Items

CAB

Code	Description	Family
0089028	LOW PROFILE DECK PLATE	TRAILER ACCESS PACKAGE
4HAA1X	ELECTRICAL RECEPTACLE, SINGLE, STANDARD SAE TYPE	ELECTRICAL RECEPTACLE TYPE
35AA1X	TRAILER CONNECTORS HOLDER, 2 AIR, 1 ELECTRIC	TRAILER CONNECTORS HOLDER
3303603	AIR - JOST JSK37USL SERIES, LH RELEASE	FIFTH WHEEL
3221000	SINGLE HOOK-UP LIGHTS FLUSH, INCANDESCENT, LOW MOUNTED	TRAILER HOOK-UP LIGHT
3210013	SINGLE 7 PINS STANDARD SAE TYPE, BOC & EOF	TRAILER RECEPTACLE
3010001	TRAILER BRKS	HAND CONTROL VALVE
2UAA1X	TRAILER ELECTRICAL CABLE CONFIG, STRAIGHT,SHORT(3650MM OR 12')	TRAILER ELECTRICAL CABLE CONFIG
45AC1X	FIFTH WHEEL TRAVEL, AIR SLIDE CONCEPT	FIFTH WHEEL TRAVEL CONCEPT
5179024	TRAILER AIR BRAKE CONNECTIONS, BOC & EOF, DIVERTER SWITCH IN	TRAILER CONNECTIONS
51XD1X	TRLR BRK HOSEHANGER, POGO STICK	TRAILER BRAKE HOSEHANGER
53XBAX	TRAILER BRAKE CONNECTION	TRAILER BRAKE CONNECTION
54XZ2X	7-POL ELECTRICAL TRAILER CONNECTOR (24N)	TRAILER ELECTR. CONNECTORS
5ZXC1X	TRAILER BRAKE HOSE STRAIGHT (3650MM)	TRAILER BRAKE HOSES & CABLES
68XSXX	(26") 660MM BEHIND THE REAR AXLE	FIFTH WHEEL POSITION
60XM4X	FIFTH WHL ANG MTG,SLIDING 36" MAX (AIR/MAN)NEG 12" OFFSET	FIFTH WHEEL MOUNTING
6EXBMX	171MM (6.75"), FIFTH WHEEL LEG-HEIGHT (SELECTED BY KAX)	FIFTH WHEEL LEG-HEIGHT
6GXA2X	5TH WHEEL JOST 37USL, TILT	FIFTH WHEEL TYPE
6JXTDX	914MM (36") 5TH WHEEL SLIDING LENGTH MAX	FIFTH WHEEL TRAVEL
6TXF1X	LH STRAIGHT FIFTH WHEEL RELEASE	FIFTH WHEEL RELEASE
7KBC1X	TRAILER EL RECEPTACLE LOCATION, BOC & EOF	TRAILER EL RECEPTACLE LOCATION
7XXA3X	REAR DECK, LOW PROFILE(US=20")	REAR DECK



Year Model: 2018 CHU613
 VIN: 1M1AN07YXJM028688
 Order Number: 072895
 Build Date:
 In Service Date: 02/22/2018

81AA1X	WORKING LAMP TECHNOLOGY, INCANDESCENT	WORKING LAMP TECHNOLOGY
9DAABX	5TH WHEEL ANGLE, 10MM THICKNESS	5TH WHEEL ANGLE THICKNESS
E5BACX	1195MM (47") GROUND TO 5TH WHEEL TOP HEIGHT	GROUND TO 5TH WHEEL TOP HGT.
LIXA1X	STEEL FIFTH WHEEL ANGLES	FIFTH WHEEL ANGLE MATERIAL
N5X12X	WORKING LAMP CAB BACK, 1 LAMP, WHITE, LEFT, RECESSED, LOW MTD	WORKING LAMP
Q9XABX	AUX 7 POL ELECTRIC TRAILER CONNECTORS	AUX. TRAILER ELEC. CONNECTORS
WGXA1X	1 VALVE, TRAILER BRAKE	TRAILER BRAKE VALVE
WHXQ4X	TRAILER BRAKE CONN POS, BOC & EOF, DIVERTER SWITCH IN CAB	TRAILER CONNECTION POSITION
0150000	NO FRAME MODIFICATIONS PROVIDED	FRAME MODIFICATION
X6BA1X	ADAPTIVE CRUISE CONTROL ADJUSTABLE TIME GAP	ADAPTIVE CRUISE CTRL TIME GAP
M320002	CWS VOLUME LEVEL - FLEET PRESET - MEDIUM	ACC VOLUME CONTROL
GXC11X	COLLISION AVOID, ACC FRT&SIDE WARN, STATIONARY OBJECT	COLLISION AVOIDANCE SYSTEM
G6CAGX	ADAPTIVE CRUISE CONTROL ADJUSTABLE TIME GAP CONFIGURATION 7	ACC TIME GAP CONFIG SETTING
D4AA1X	TRANSMISSION PTO FUNCTIONS BASIC	AMT/AUTOMATIC TRANS PTO FUNCT.
9970001	CUSTOMER GUARANTEED WEIGHT, MUST BE CERTIFIED WEIGHT	CERTIFIED WEIGHT
8ZDAAX	ELECTRONIC STABILITY CONTROL REGULATION FMVSS	STABILITY CONTROL REGULATIONS
8FXU1X	UNIFORM LOAD NO ADAPTATION	TRANSPORT ADAPTATION
70XA7X	LSS, DEPARTURE WARNING, FUSION, W/DATA CAPTURE	LANE SUPPORT SYSTEM
5VCB1X	ADAPTIVE CRUISE CONTROL VOLUME LEVEL, MEDIUM	ACC VOLUME CONTROL LEVEL
5UCB1X	ADAPTIVE CRUISE CONTROL VOLUME CONTROL-DISABLED	ACC VOLUME CONTROL
5482103	BENDIX FUSION FRONT & SIDE COLLISION AVOIDANCE WARNING SYSTEM	COLLISION WARNING SYSTEM
0164050	60" MIDRISE SLEEPER	SLEEPER BOX
0EAC1X	AIR INTAKE GRILLE, BLACK	AIR INTAKE GRILLE, FINISH
0IAAAX	ASHTRAY	ASHTRAY
0JAD1X	CAB GRAB HANDLES, BASIC W/DRIVER SIDE DOOR DIAGONAL BAR	CAB GRAB HANDLE
0KAB1X	FLOOR COVER, CENTER, CARPET	FLOOR COVER, CENTER MATERIAL
1443001	CONVENTIONAL CAB, SLEEPER	CAB
1450010	HEATED TINTED WINDSHIELD, TINTED SIDE WINDOW (NO REAR WINDOW)	GLASS - CAB WINDOW
1731001	BLEND AIR HVAC	AIR CONDITIONING/HEATER
1840009	POLYURETHANE FLOOR MAT W/CARPET CENTER STRIP TO INTERIOR	FLOOR COVERING
1980001	U.S. UNITS (PREDOMINANT)	GAUGES - METRIC
1XAB1X	FIRE EXTINGUISHER LOCATION, LUGGAGE COMPARTMENT, LH SIDE	FIRE EXTINGUISHER LOCATION
1ZAB1X	DOOR STORAGE COMPARTMENT, BOTH SIDES	DOOR STORAGE COMPARTMENT
2060001	EXHAUST PYROMETER GAUGE	GAUGE - EXHAUST PYROMETER
2140001	TRANSMISSION OIL TEMP GAUGE	GAUGE-TRANS.OIL TEMP.
2150001	REAR AXLE GAUGE(S)	GAUGE - REAR AXLE OIL TEMPERATURE
2170003	MANIFOLD PRESSURE GAUGE - ELECTRICAL	GAUGE - MANIFOLD PRESSURE
28XH1X	BRIGHT GRILLE (CHROME PLATED), W/BLACK BACKGROUND	FRONT GRILLE
2940007	ELECTRONIC SENDING UNIT MTD ON L.H. TANK	GAUGE - FUEL LEVEL
2KXA1X	BASIC FRONT WHEEL OPENING	FRONT WHEEL OPENING
2Z2X5X	TINTED WINDOW GLASS	GLASS COLOUR
4000004	BR FIN(CHROME)W/BLK BACKGROUND	GRILLE
4031001	BLEND AIR HEATER	HEATER
40XAIX	HAND FIRE EXTINGUISHER 2.2 KG (5LB) ENGLISH DECAL, ABC	FIRE EXTINGUISHER
4AXB1X	MANUAL CONTROLLED CLIMATE CONTROL AIR CONDITION	CLIMATE UNIT
5870104	BF EXT CAB GRAB HANDLES, BLK HANDLE RH INTERIOR WS POST, BLK	GRAB HANDLES
66AE1X	SLEEPER BOX LENGTH 1524MM (60") MEDIUM HEIGHT	SLEEPER BOX LENGTH & HEIGHT
6IAABX	CAB GRAB HANDLES, BRIGHT FINISH	CAB GRAB HANDLES FINISH
7860012	5 LB.(ABC RATED)/AMEREX MOUNTED IN SLEEPER BOX, L.H. LUGGAGE	FIRE EXTINGUISHER
88AA1X	EMBLEMS OPTION, COMPLETE	EMBLEMS OPTION
B030001	FURNISH KEYLESS ENTRY SYSTEM	KEYLESS ENTRY
B4BAAX	GAUGES GRADUATION (EXCL. SPDM), IMPERIAL UNITS	GAUGES GRADUATION (EXCL. SPDM)
BHXAAX	CIGAR LIGHTER	CIGAR LIGHTER
CSK0003	CAB SKIRT, STAINLESS STEEL W/O LIGHTS	CAB SKIRT
D9AAAX	EXHAUST PYROMETER GAUGE	GAUGE EXHAUST PYROMETER
E0AAAX	TRANSMISSION OIL TEMP GAUGE	GAUGE TRANSM. OIL TEMP
E1AAAX	REAR AXLE OIL TEMP GAUGE	GAUGE OIL TEMP-REAR AXLE
E2AAAX	MANIFOLD PRESSURE GAUGE-ELECTRICAL	GAUGE MANIFOLD PRESSURE
FKX55X	CAB POS, MEDIUM X COORD (LONGITUD) MEDIUM Z COORD (HEIGHT)	CAB POSITION
IOXAHX	DOVE LAMP, INTERIOR, 2 EACH SIDE, SWITCHES INCLUDED	DOVE LAMP, INTERIOR
I2AAAX	BRAKE PRESSURE APPLICATION GAUGE, ELECTRONIC	SERVICE TRAILER BRAKE PRESSURE
IGAA1X	AUXILIARY PNEUMATIC OUTLET, IN CAB	AUXILIARY PNEUMATIC OUTLET CAB
M3AA1X	REAR AIR SUSPENSION GAUGE	GAUGE, REAR AIR SUSP PRESSURE
N6XR5X	STD+ENG&TRANSM OIL TEMP EXH PYRO, AIR MANIF, APPLIC& SUSP PRES	GAUGE PACKAGES
N8XD1X	MILES/HOUR, KILOMETER/HOUR SPEEDOM. GRADUATION	SPEEDOM. GRADUATION
ONXE1X	CAB STEP PANEL, STAINLESS STEEL	CAB STEP PANEL
PSXZ1X	NO HUBODOMETER PROVIDED	ODOMETER
Q2AA1X	CAB STEP BASIC	CAB STEP VERSION
Q4XADX	AUX. WIN. DOOR ON RIGHT SIDE NON STG WHL POS. DEPND	DOOR WINDOW FRONT
T9AA1X	CAB WITH SLEEPER PREPARATION	CAB SLEEPER PREPARATION
VPXA1X	TINTED GLASS, ALL DOORS - GREEN	GLASS COLOUR DOORS
WTXA1X	WINDSCREEN HEATING TOTAL	WINDSCREEN/HEATING
X6CB1X	FIRE-EXTINGUISHER MANUFACTURE, AMEREX	FIRE EXTINGUISHER MANUFACTURE

CAB: 95 Items



Year Model: 2018 CHU613
 VIN: 1M1AN07YXJM028688
 Order Number: 072895
 Build Date:
 In Service Date: 02/22/2018

CAB - SLEEPER BOX

Code	Description	Family
0043204	GRAND TOURING DEEP COPPER BUTTON-TUCKED	INTERIOR TRIM LEVELS
0BAA1X	PERMIT PLATE, POLISHED SS (FOR LEGAL PERM ADHESIVES)	PERMIT PLATE
0CAA1X	EMERGENCY KIT LOCATION, LUGGAGE COMP, LH	EMERGENCY KIT LOCATION
0GAA1X	PERSONALIZED NAME PLATE, DASH (24 characters max)	PERSONALIZED NAME PLATE
0MAA1X	HEADLINER, VINYL	HEADLINER MATERIAL
0TAAF	INTERIOR TRIM PATTERN 6 (GRAND TOURING)	INTERIOR TRIM PATTERN
13AB1X	DOOR OPENING OPTION, REMOTE CONTROL	DOOR OPENING OPTIONS
1529045	BULLDOG STYLIZED MIRRORS LH HEAT & RH HEATED,MOTRIZED AND IL	MIRRORS - EXTERIOR
1544002	HADLEY ROOF MTD.ROUND AIR HORNS W/SNOW SHIELDS(2)19" (2)22"	HORN - AIR
1600001	ALL CHASSIS KEVED AT RANDOM - 2 KEYS	KEYED ALIKE CHASSIS
1720001	NAMEPLATE, ON DASH (24 CHARACTERS MAX)	PERSONALIZED NAME PLATE
1746105	PREMIUM STEREO, AM/FM, CD-PLAYER, MP3, WEATHER BAND, BLUETOOT	RADIO/RADIO ACCOMODATION
19AA1X	SATELLITE ANTENNA	SATELLITE ANTENNA
1WAB1X	POWER LEAD, SWAY TYPE, HEADLINER MTD	POWER LEADS
20XA1X	ALL CHASSIS KEVED AT RANDOM	KEY TYPES FOR DOORS
2DXABX	REAR CAB SUSPENSION, AIR WITH STABILIZER	CAB SUSPENSION REAR
3120010	TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA	IDENTIFICATION/CLEARANCE LIGHTS
3400001	FIBERGLASS - AXLE FORWARD STYLE	HOOD AND FENDERS
3GXC1X	HEATED, EL. OPERATED EXT. MIRRORS, BOTH SIDES	EXTERIOR MIRROR FEATURES
3HXB1X	WIDE-ANGLE MIRROR ,BOTH SIDES	AUXILIARY MIRROR,WIDE-ANGLE
3KXFCX	INTERIOR TRIM 3, HIGH	INTERIOR TRIM LEVEL
3RFX2X	INTERIOR TRIM COPPER	CAB INTERIOR TRIM COLOUR
3UAC1X	ROOF LAMP, BULLET , TRUCKLITE	ROOF LAMP STYLE & MFG.
3VAB1X	ROOF LIGHT BULB, LED	ROOF LIGHT BULB
3XCA1X	INTERIOR ILLUMINATION TYPE, INCANDESCENT	INTERIOR ILLUMINATION TYPE
45AA1X	EXT. MIRROR HOUSING SHAPE, AERO WITH EMBLEM	EXTERIOR MIRROR HOUSING SHAPE
47AD1X	MAIN MIRROR HOUSING FINISH, CHROMED	MAIN MIRROR HOUSING FINISH
48AA1X	MAIN MIRROR MARKING LAMP, AMBER	MAIN MIRROR MARKING LAMP
4UAB1X	HOOD LATCH FINISH, BRIGHT	HOOD LATCH FINISH
4VX31X	THREE WARNING TRIANGLES	SAFETY EQUIPMENT
58XB5X	MIRROR MTD ANTENNA CB, LEFT, 48" LENGTH	ANTENNA, CB RADIO
5CXACX	SPEAKER LOCATION ABOVE DOORS & REAR WALL, SLEEPER	SPEAKER LOCATION
5EAA1X	AUDIO INTEGRATED HANDSFREE PHONE, BLUETOOTH	AUDIO INTEGRAT. PHONE HANDSFRE
5FAA1X	AUDIO COMMUNICATION CONNECTOR, USB AUDIO	AUDIO COMMUNICATION CONNECTOR
5GAA1X	AUX.LINE IN CONNECTOR IN AUDIO	AUX AUDIO CONNECTOR
5JXALX	CB MOUNTING, OVERHEAD COMP, VELCRO STRAP	COM.RADIO PREP KIT (CB)
65AA1X	AIR HORN, FINISH, CHROMED/BRIGHT FINISH	AUX. AIR HORN FINISH
73AJ1X	ANTENNA, RADIO, MIRROR MTD, RIGHT, 48" LENGTH	ANTENNA, RADIO
7840001	W/SLEEPER BOX-FURNISH KIT #JKC-1005 OR EQUAL; MOUNTED	REFLECTOR KIT
7QAAA	AUXILIARY REFLECTORS, 2 ROUND RED, BACK OF CAB	AUXILIARY REFLECTORS
89AA1X	ENGINE COMPARTMENT INSULATION, HOOD	HOOD INSULATION, CLIMATE
88XA1X	2 KEYS PROVIDED PER TRUCK (IGNITION AND DOOR LOCKS)	KEY QUANTITY PER TRUCK
9HAABX	AUDIO WAVEBANDS FM 87.75+87.9-107.9 MHZ, AM 530-1710 KHZ	AUDIO WAVEBANDS
COJ0012	CO-PILOT DRVR DISP ENHANCED LCD DISP W/4 BUTTON STALK CONTRO	INSTRUMENT CLUSTER DISPLAY
CBXD1X	DRIVER INFO DISPLAY COPILOTE	DRIVER INF. DISPLAY SCREEN
DBXA2X	ACCENT STRIP (WOOD) ON DASH	DASHBOARD
E3XC1X	FORWARD OVERHEAD STORAGE, 3 STORAGE COMPMT W/NET	FORWARD OVERHEAD STORAGE
F8XC8X	RADIO, AM/FM, CD-PLAYER, MP3, WEATHER BAND	AUDIO SYSTEM
LXXC1X	1 SINGLE ELECTRIC HORN SINGLE TONE	HORN, ELECTRICAL
LZXABX	AIR HORN, ROOF MTD., 4 SINGLES, WITH PROTECTIVE SHIELD	AUX. HORN
M1AC1X	SATELLITE PROVIDER, SIRIUS / XM	SATELLITE RADIO PROVIDER
N1XB5X	DASH, DUAL OUTLET - 12V	ELECTRICAL DASH OUTLET
P1XE1X	FIRST OPTION LANG.SPANISH	DRIVER INFO.FIRST OPTION LANG.
P2XD1X	SECOND OPTION LANG.FRENCH	DRIVER INFO.SECOND OPTION LANG
Y6CB1X	HEATED MIRROR TIME-OUT, 60 MIN	HEATED MIRROR TIME-OUT

CAB - SLEEPER BOX: 55 Items

CAB EXTERIOR

Code	Description	Family
05AGAX	2 REARWARDS FACING WORKING LAMPS	CHASSIS MOUNTED WORKING LAMPS
0HAB1X	SEAT SUPPORT, DUST COVER, BOTH SIDES	SEAT SUPPORT, DUST COVER
1460008	POWER W/DOOR LOCK (LH&RH)-ELEC	WINDOW CONTROLS
1480011	TWO SPEED ELECTRIC MOTOR W/INTERMITTENT FEATURE	WINDSHIELD WIPERS
1579005	STAINLESS STEEL; DIETER'S 13" EXTRA DEEP EXTERIOR SUN VISOR	SUN VISOR - EXTERIOR
1610014	2 SPOKE LEATHER GRIP, BRIGHT CHROME SPOKES, W/O SWITCHES	STEERING WHEEL
1962516	AIR-SEARS SEATING ATLAS80 HIGHBACK;4CHAMBER AIR LUMBAR	SEAT - DRIVER
1972516	AIR-SEARS SEATING ATLAS80 HIGHBACK; 4 CHAMBER AIR LUMBAR	SEAT - RIDER
10AB3X	SEAT MFG & SERIES, DRIVER, SEARS SEATING, ATLAS 80	SEAT MFG. AND SERIES, DRIVER
1EAAAX	DRIVER SEAT UPHOLSTERY COLOR, NON SPECIFIED (INT DEPEND)	DRIVER SEAT UPHOLSTERY COLOR
1FATBX	DRIVER SEAT FEAT,HI BACK,STD WIDTH;4 CHAMBER AIR LUMBAR ADJ	DRIVER SEAT FEATURES
1GAB3X	SEAT MFG & SERIES, PASSENGER, SEARS SEATING, ATLAS 80	SEAT MFG. & SERIES, PASSENGER
1HAAXX	PASSENGER SEAT UPH. COLOR, NON SPECIFIED (INT DEPEND)	PASSNGR SEAT UPHOLSTRY COLOR
1IATAX	PASS SEAT FEAT,HI BACK,STD WIDTH;4 CHAMBER AIR LUMBAR ADJ	PASSENGER SEAT FEATURES



Year Model: 2018 CHU613
 VIN: 1M1AN07YXJM028688
 Order Number: 072895
 Build Date:
 In Service Date: 02/22/2018

2QAA1X	IGNITION TYPE, KEY	IGNITION TYPE
2WXA9X	DIAMETER 460 MM STEERING WHEEL	STEERING WHEEL
2XX35X	ELECTRICAL WINDOW LIFT, BOTH DOORS	WINDOW LIFT
34XC1X	SUSPENDED PASSENGER SEAT	PASS SEAT SUPPORT
3AXA1X	CENTRAL DOOR LOCKING	DOOR LOCK CAB
3PXC1X	SEAT ARMREST SINGLE, BOTH (DRIVER AND PASS.SIDE)	SEAT ARMREST
3ZYG2X	DRIVERS SEAT, AIR SUSPENDED	DRIVER SEAT SUPPORT
4859007	CLOTH W/ ULTRA-LEATHER, CAB INTERIOR DEPENDANT COLOR, DRIVER	SEAT COVERING
4NXF3X	EXTERIOR SUNVISOR, LARGE	SUNVISOR, EXTERIOR
4PXAHX	3 POINTS, BOTH SEATS, WITH HEIGHT ADJ	SEAT BELT
5920005	LAP & SHOULDER (BOTH SEATS) CAB MTD SHOULDER BELT ADJUSTMT	SEAT BELTS/RETRACTORS
7BAA6X	STEERING WHEEL MATERIAL, LEATHER	STEERING WHEEL MATERIAL
7RAABX	EXTERIOR SUNVISOR FINISH-BRIGHT	EXTERIOR SUNVISOR FINISH
D2XA1X	WIPER BLADE, BASIC	WIPER BLADE STYLE
JQXAAX	WASHER RESERVOIR BASIC POSITION	WASHER RESERVOIR POSITION
NIXA1X	WIPER SWITCH 4 POSITION (GENERIC 2 SPEED PLUS INTERMITTENT F	WIPER SWITCH
NPXB1X	SELF CANCELLING TURN SIGNAL	TURN SIGNALS
OUXA1X	SEAT BELT DRIVER SEAT BLAC	SAFETY BELT DRIVER SEAT
OXXA1X	SAFETY BELT PASSENGER SEAT BLAC	SAFETY BELT PASSENGER SEAT
UCD2X	DS SEAT UPH, ULTRA-LEA SIDE&FRONT,CLOTH CUSHION,CARPET BACK	DRIVERS SEAT UPHOLSTERY
U4CD2X	PS SEAT UPH, ULTRA-LEA SIDE&FRONT,CLOTH CUSHIONS,CARPET BACK	PASSENGERS SEAT UPHOLSTRY
U7XB1X	INTERNAL SUNVISOR FRONT, BASIC (NO MIRROR), BOTH SIDES	SUNVISOR INTERIOR, FRONT
WSXAAX	SINGLE WINDSCREEN	WINDSCREEN TYPE
XRXB1X	ADJUSTABLE STEERING WHEEL, 2 MOTIONS	STEERING WHEEL ADJUSTMENT

CAB EXTERIOR: 38 Items

AERODYNAMIC DEVICES

Code	Description	Family
0AAB1X	GRAB HANDLE ARRGMT., BOC, 1 VERTICAL LEFT SIDE, OUTBOARD	GRAB HANDLE ARRGMT., BOC
1OXABX	50 WATTS, 2 CHANNEL AMPLIFIER INCLUDING A SUBWOOFER	AMPLIFIER
2PX81X	WINDSHIELD / WINDOWS CURTAIN	CURTAIN
41X11X	CAB PARKING HEATER	PARKING HEATER
48XC1X	ADD'L CLIMATE UNIT, MANUAL AIR CONDITIONER & HEATER	AUX. CLIMATE UNIT
4ZXC1X	REFRIGERATOR 44 L, MOUNTED IN CAB	REFRIGERATOR
72AA1X	LOWER MATTRESS DIMENSION 890 X 2032 (35" X 80")	LOWER MATTRESS DIMENSION
7430006	INNERSPRING MATTRESS(35"X80") (60" MID RISE ONLY)	SLEEPER BOX - BUNK (LOWER)
7460001	HEATER/AIR CONDITIONER (SLAVE)	SLEEPER BOX - HEATER/AIR COND
7600003	(1) READING LIGHT	SLEEPER BOX - READING LIGHTS
7680004	SLEEPER BOX - TINTED FRONT WINDOW W/CURTAIN AND (2) TINTED S	SLEEPER BOX - WINDOW
90AA1X	WITH SLEEPER AUX. FAN	SLEEPER BOX AUX. FAN
91AA1X	EMERGENCY DOOR, SLEEPER BOX	EMERGENCY DOOR, SLEEPER BOX
95AA1X	ALARM CLOCK, DIGITAL	ALARM CLOCK, SLEEPER
96ABAX	LUGGAGE CMPRTMNT LOCK OPTION, KEYED ALIKE KEY & LATCH HANDLE	LUGGAGE CMPRTMNT LOCK OPTION
97AA1X	1 READING LIGHT, LEFT SIDE WALL	READING LIGHT, SLEEP
99AA1X	SIDE WINDOW, UPPER, SLIDING BOTH SIDES	SIDE WINDOW UPPER
D1XA3X	PREPARATION KIT WITH TV ANTENNA	VIDEO EQUIPMENT
EGJ2X	CABINET, LOWER, LH, DRAWER, SLIDE-OUT TABLETOP & CUP HLDR	CABINET, LEFT HAND SIDE LOWER
EJXL1X	CABINET RIGHT HAND LOWER, CLOTHES, TV SHELF TOP	CABINET, RIGHT HAND SIDE LOWER
F5XA1X	LUGGAGE COMP LID OPENING,BOTH SIDES	LUGGAGE COMPARTM.LID OPENING
FNXA1X	BASIC INNERSPRING LOWER MATTRESS	LOWER MATTRESS TYPE
M9AC1X	SLEEPER, TRIPLE, OUTLET-12 VOLT	ELECTRICAL SLEEPER OUTLET
OBXFAX	ROOF WINDOWS FIXED ON FRONT	AUXILIARY ROOF WINDOW

AERODYNAMIC DEVICES: 24 Items

WHEELS & TIRES

Code	Description	Family
0DAA1X	AERODYN. DEVICE, CABSIDE, EXTENSION	AERODYN. DEVICE CABSIDE EXTSN
1590111	OPTIMIZED ROOF FAIRING WITH SIDE SHIELDS W/ RUBBER EXTENSION	AERODYNAMIC AIDS
4RXA1X	AERODYN.DEVICE, ROOF	AERODYN.DEVICE, ROOF
45XA1X	AERODYN. DEVICE, CAB, SIDE EXTENSION LONG	AERODYN.DEVICE, CABSIDE

WHEELS & TIRES: 4 Items

COMMUNICATION SYSTEMS

Code	Description	Family
01XC1X	DIAM 22.5 INCH, FRONT WHEEL & TIRE	WHEEL & TIRE DIAMETER FRONT
N7BHDX	M760 ECOPIA, DRIVE TIRE TREAD,BRIDGESTONE,LONG/REGIONAL HAUL	DRIVE TIRE TREAD
N6BOEX	R283A ECOPIA, FRONT TIRE TREAD, BRIDGESTONE, LONG/REGNL HAUL	FRONT TIRE TREAD
H8CB1X	TIRE SPEED LIMIT BASIC	TIRE SPEED LIMIT REDUCED
BDXAMX	WHEEL STUDS BASIC LENGTH	WHEEL STUDS
9011361	295/75R22.5 G BRIDGESTONE M760 ECOPIA (DRIVE ONLY)	TIRES BRAND/TYPE - REAR
9001389	295/75R22.5 G BRIDGESTONE R283A ECOPIA	TIRES BRAND/TYPE - FRONT
80AA1X	WHEEL NUT & FINISH BASIC, FRONT	WHEEL NUT FINISH, FRONT
7MXDYX	511.0 REAR TIRE REVS PER MILE	REAR TIRE REVS PER MILE
7ECF2X	INSIDE WHEEL TURNING ANGLE, 47 DEGREES	INSIDE WHEEL TURNING ANGLE
60AD1X	3355KG (7400LB) WHEEL LOAD MAX, FRONT PER WHEEL	WHEEL LOAD MAX, FRONT
58AD1X	BASIC, 10 HAND HOLES WHEEL STYLE DRIVE	WHEEL STYLE DRIVE
57AD1X	WHEEL RIM OFFSET, DRIVE 6.60 INCHES	WHEEL RIM OFFSET DRIVE



Year Model: 2018 CHU613
 VIN: 1M1AN07YXJM028688
 Order Number: 072895
 Build Date:
 In Service Date: 02/22/2018

56AD1X	3355 KG (7,400 LB) WHEEL LOAD MAX DRIVE PER WHEEL	WHEEL LOAD MAX DRIVE PER WHEEL
5313766	22.5 X 8.25 LVL ONE ALCOA ALUM DISC UNIMNT 10 (10 HOLE HUB	WHEELS - FRONT
4YCA1X	GHG AUXILIARY TIRE CATEGORY, ADVANCED LOW ROLLING RESISTANCE	GHG AUXILIARY TIRE CATEGORY
4XC1X	GHG DRIVE TIRE CATEGORY, LOW ROLLING RESISTANCE	GHG DRIVE TIRE CATEGORY
4WCC1X	GHG STEER TIRE CATEGORY, LOW ROLLING RESISTANCE	GHG STEER TIRE CATEGORY
4QAD7X	WHEEL RIM OFFSET, FRONT 6.60 INCHES	WHEEL RIM OFFSET, FRONT
4OAB9X	BASIC, 10 HAND HOLES WHEEL STYLE, FRONT	WHEEL STYLE, FRONT
49AB1X	WHEEL FINISHING FRONT, BRIGHT, DURA-BRIGHT PROTECTION	WHEEL FINISHING, FRONT
44AB1X	WHEEL FINISHING REAR, BRIGHT, DURA-BRIGHT PROTECTION	WHEEL FINISHING, REAR
3PBA1X	WHEEL NUT BASIC FINISH, REAR	WHEEL NUT FINISH, REAR
3463766	22.5 X 8.25 LVL ONE ALCOA ALU DISC UNIMNT 10 (10 HOLE HUB PI	WHEELS - REAR
2673000	ALUMINUM (DISC) DRIVE WHEEL MATERIAL	REAR WHEEL TYPE
2503000	ALUMINUM (DISC) FRONT WHEEL MATERIAL	FRONT WHEEL TYPE
2351000	ALCOA POLISHED W/DURA-BRIGHT PROTECTION PROCESS,W/SINGLE WHE	WHEELS - POLISHED (REAR)
1LXA1X	BRIDGESTONE, DRIVE TIRE	TIRE MAKE DRIVE
1TXA1X	BRIDGESTONE, FRONT TIRE	TIRE MAKE FRONT
1RXG1X	LOAD RANGE G, DRIVE TIRE	TIRE LOAD CAPACITY, DRIVE
1NXS2X	TIRE 295/75 ,DRIVE AXLE	TIRE DIMENSION DRIVE
1KXG1X	LOAD RANGE G, FRONT TIRE	TIRE LOAD CAPACITY, FRONT
1JXS2X	TIRE 295/75 ,FRONT AXLE	TIRE DIMENSION FRONT
15XABX	TIRE INFLATION VALVE, STANDARD	TIRE INFLATION VALVE
0RXE1X	WHEEL WIDTH 8.25 INCH	WHEEL DIMENSION DRIVE
0PXE1X	WHEEL WIDTH 8.25 INCH	WHEEL DIMENSION FRONT
0HXB1X	ALUMINUM WHEEL, DRIVE	WHEEL MATERIAL DRIVE
0GXB1X	ALUMINUM WHEEL, FRONT	WHEEL MATERIAL FRONT
0DXA5X	DRIVE WHEEL, SAME MATERIAL & FINISH	DRIVE WHEEL MATERIAL SAME/MIXED
0BXB1X	DISC WHEEL PCD 286 MM HUB PILOT	WHEEL TYPE DRIVE
0AXB1X	DISC WHEEL PCD 286 MM HUB PILOT	WHEEL TYPE FRONT
05XC1X	WHEEL BRAND DRIVE, ALCOA	WHEEL BRAND, DRIVE
04XC1X	WHEEL BRAND FRONT, ALCOA	WHEEL BRAND, FRONT
02XC1X	DIAM 22.5 INCH, DRIVE WHEEL & TIRE	WHEEL & TIRE DIAMETER DRIVE

COMMUNICATION SYSTEMS: 44 Items

ENGINE ELECTRONICS

Code	Description	Family
2JCA1X	REMOTE DIAGNOSTIC SERVICES, ENABLED	REMOTE DIAG SERVICES
3FC21X	COMM SYS NOTIFICATION, DISABLE - MESSAGE RECEIVED FUNCTION	COMMUNICATION SYS NOTIFICATION
3YAA1X	DISPLAY FEATURES, LIMITED, NO DRIVER ACCESS LEVEL 1	DISPLAY FTRS ACCESS, LMTD DRVR
5JBE5X	GATEWAY WITH 4G/LTE AND WLAN	TELEMATICS COMMUNICAT GATEWAYS
M300004	GUARDDOG CONNECT WITH 4G/LTE AND WLAN SYSTEM WITH DIAGNOSTIC	TELEMATIC GATEWAY
USCD1X	REMOTE SOFTWARE UPGRADE ENABLED, ALL RSWDL ALLOWED	REMOTE SW UPGRADE SERVICES
V4CD1X	SIMCARD WITH AT/T SUBSCRIPTION	TELE COMMUNICATION SUBSCRIPT.

ENGINE ELECTRONICS: 7 Items

TRANSMISSION ELECTRONICS

Code	Description	Family
7QXA1X	AMT MANUAL SHIFT IN AUTOMATIC MODE INCL KICK DOWN	AMT MANUAL SHIFT OPTIONS
Y3CE1X	121 KM/H PEDAL ROAD SPEED LIMITER (75MPH)	PEDAL RSL SETTING
Y1CZ1X	ACCELERATION LIMITING FEATURE, DISABLED	VEHICLE ACCELERATION LIMITING
X8CZ1X	ENGINE HIGH IDLE SPEED IN UPPER GEARS, DISABLED	HIGH IDLE SPEED-UPR GRS FEATUR
X3CB1X	DRIVER ID FUNCTION, DISABLED	DRIVER ID FUNCTION
X2BB1X	WITH RSL CONTROL TYPE NORMAL	ROAD SPEED LIMIT CONTROL TYPE
X0AB0X	INCREASE 10 MINUTE MAXIMUM TIME	IDLE BATTERY CHECK
WOXA1X	OIL PRESSURE, ENGINE SHUTDOWN	OIL PRESSURE, ENGINE SHUTDOWN
WMXA1X	COOLANT TEMP, ENGINE SHUTDOWN	COOLANT TEMP, ENGINE SHUTDOWN
W9AD1X	PERIODIC TRIP LOG, DAY 1 OF THE MONTH	PERIODIC TRIP LOG DAY OF MONTH
WSBJ2X	1950 MAXIMUM ENGINE SPEED AT 0 MPH	MAXIMUM ENG SPEED AT 0 MPH
R5CZ1X	VEHICLE ASSISTANCE SERVICE DISABLED	VEHICLE ASSISTANCE SERVICE
M4CB1X	IDLE SHUTDOWN OVERRIDE UPTO 20% ENGINE LOAD THRESHOLD	IDLE S/D OVERRIDE %ENGINE LOAD
M3CA1X	IDLE SHUTDOWN ABS TAMPER CHECK, ENABLED	IDLE S/D ABS TAMPER CHECK
L2CA1X	POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT 8KMH (5MPH)	PDLO ENGAGED VLS
L1CZ1X	DISABLE POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT	PDLO ENGAGE VLS FEATURE
K7XH3X	IDLE CONTROL, 650 RPM	ENGINE IDLE CONTROL
K5XA2X	ENGINE PROTECTION (SHUTDOWN)	ENGINE PROTECTION SYSTEM
K4CDAX	VEHICLE UPTIME ENABLED AUTOM. SERVICE ACTIVATION SETTING1	VEHICLE UPTIME SETTINGS
JFXPCX	MAX CRUISE, 121 KPH (75 MPH)	CRUISE CONTROL, MAX SPEED
JDXA1X	CRUISE CONTROL	CRUISE CONTROL
JCXFPX	121 KM/H ROAD SPEED LIMITER (75MPH)	ROAD SPEED LIMITER SETTING
H4AZ1X	PTO 2ND, AUTO SET SINGLE SPEED, DISABLE	PTO 2ND,AUTO SET SINGLE SPEED
G5AAHX	ENGINE OVERSPEED, ALL CONDITIONS, TIME LOG IF ABOVE 2200 RPM	ENGINE OVERSPEED,ALL COND, LOG
G4AAUX	VEHICLE OVERSPEED,ALL COND, TIME LOG IF ABOVE 75MPH (121KMH)	VEHICLE OVERSPEED,ALL COND,LOG
G3AAPX	VEHICLE OVERSPEED, FUELED, TIME LOG IF ABOVE 70MPH (113KMH)	VEHICLE OVERSPEED, FUELED, LOG
G2AAGX	ENGINE OVERSPEED, FUELED, TIME LOG IF ABOVE 2100 RPM	ENGINE OVERSPEED,FUELED, LOG
G1AABX	ENGINE IDLE DELAY TO START LOG, 2 MIN	ENGINE IDLE DELAY TO LOG
G0AZ1X	PTO 1ST, AUTO SET SINGLE SPEED, DISABLE	PTO 1ST,AUTO SET SINGLE SPEED
ESAACX	ENG BRK ENGAGE IN CRUISE, 3 MPH, ABOVE SET SPEED	ENG BRK ENGAGE IN CRUISE



Year Model: 2018 CHU613
 VIN: 1M1AN07YXJM028688
 Order Number: 072895
 Build Date:
 In Service Date: 02/22/2018

E4AAAX	CRUISE RESUME WITH CLUTCH	CRUISE RESUME WITH CLUTCH
E3AACX	MIN CRUISE, 32 KPH (20 MPH)	CRUISE CONTROL MIN SPEED
E0XGAX	IDLE SHUTDOWN TIME 10 MIN.	ENGINE IDLE SHUTDOWN TIME
D3AAEX	AMBIENT TEMP MAX TRESHOLD, 27 DEG C, (80 DEG F)	AMBIENT TEMP MAX TRESHOLD
D2AAFV	AMBIENT TEMP MIN TRESHOLD, 16 DEG C, (60 DEG F)	AMBIENT TEMP MIN TRESHOLD
C0Z0000	NO IDLE S/D SLPR MODE OVERRIDE	IDLE S/D COOLDOWN (SLEEPER)
Y9CR1X	TRANSMISSION PTO1 SPLIT GEAR RANGE,(KEYPAD)REMOTE CONTROLLED	TRANS PTO1 SPLITTER RANGE
Z1CR1X	TRANSMISSION PTO2 SPLIT GEAR RANGE,(KEYPAD)REMOTE CONTROLLED	TRANS PTO2 SPLITTER RANGE
B6ACEX	ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM	EL HAND THROTTLE,MAX ENG SPEED
B4ADAX	ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM	EL HAND THROTTLE,MIN ENG SPEED
B3ABAX	ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH)	EL HD THROTTLE,MAX ROAD SPEED
B2AZ1X	ENGINE IDLE COOLDOWN, DISABLE	ENGINE IDLE COOLDOWN
B0AAAX	ENG IDLE SHUTDOWN TIME OVERRIDEN IF TORQUE > THAN LIMIT	IDLE SHUTDOWN IF POWER > LIMIT
A8AALX	38C DEG (100F), WARM UP TEMP DELAY	IDLE S/D IF WARM-UP TEMP
A4BAAX	DETECTION OF SPEED SENSOR TAMPERING, ENABLE	DETECTION SPEED SENSR TMRPNG
A4AAEX	5 MIN. WARM UP TIME DELAY	IDLE S/D WARM-UP TIMER
A3AZ1X	ENGINE IDLE SHUTDOWN, DISABLE	IDLE SHUTDOWN
8RXAEX	ENG TORQUE LIMITED TO 50%, IF SPEED SENSOR TAMPER DETECTED	ENG TORQUE LIMIT,SPEED SENSOR

TRANSMISSION ELECTRONICS: 48 Items

PAINT

Code	Description	Family
2PBHAX	1 TONE HOOD, 1 TONE DRIVER AREA, IF SLEEPER 1 TONE	CAB PAINT TYPE
MP30001	ONE PAINT COLOR ONLY ;1	TOTAL PAINT COLOR QTY
5ZBZ1X	BUMPER PAINT PROCESS, NOT PAINTED	BUMPER PAINT PROCESS
6ABZ1X	CHASSIS PAINT PROCESS, STANDARD COLOR (MACK BLACK)	CHASSIS PAINT PROCESS
6BBZ1X	WHEEL PAINT PROCESS, NO CUSTOM PAINTED	WHEEL PAINT PROCESS
7HBZ1X	FUEL TANK PAINT PROCESS, NOT PAINTED	FUEL TANK PAINT PROCESS
8900005	MACK WHITE WITH CLEAR COAT-CORE	GEL COAT HOOD
9220000	CHASSIS PAINT PROCESS, STANDARD COLOR (MACK BLACK) 6ABZ1X	PAINT PROCESS: CHASSIS
9240001	SOLID PAINT	PAINT TYPE- AREA A
9442007	MACK WHITE 08282PP P9188 PROD EFF 6/10/96	PAINT/VINYL STRIPING - CAB EXTERIOR
9512006	MACK BLACK 09000PP P3036 EFF. 6/21/96	PAINT - CHASSIS RUNNING GEAR
9930010	BLACK	CHASSIS COLOR FAMILY
9940009	WHITE	AREA A CAB COLOR FAMILY
9960002	POLY BASE - POLY CLEAR	PAINT - CAB PAINT SYSTEM
BG10006	BUG CODE 6-CHASSIS RUNNING GEAR	BUG CODE CHASSIS
BG20007	BUG CODE 7-AREA A CAB	BUG CODE AREA A CAB
5YBZ1X	HUB & DRUM PAINT PROCESS, CHASSIS COLOR	HUB & DRUM PAINT PROCESS

PAINT: 17 Items

CALCULATED CODES - KAX

Code	Description	Family
3HAA1X	DOT COMPLETE VEHICLE CERTIFICATION	VEHICLE CERTIFICATION
4CAAMX	NUMBER OF OPTIONAL SWITCHES, 13	NUMBER OF OPTIONAL SWITCHES
5420001	COMPLETE	VEHICLE CERTIFICATION
9JXA1X	YES, THE ORDER MUST BE CALCULATED	PROPCALC SELECTION
B4CA1X	SWITCH LAYOUT, BASIC	SWITCH LAYOUT
P7CC1X	AIRTANK CALCULATION STATUS, NOT RUN	AIRTANK CALCULATION STATUS
TCXD1X	PROP.SHAFT DIMENSION, EXTRA LARGE SINGLE JOINT	PROP.SHAFT DIMENSION (RESULT)
TDXWXX	FIRST PROP.SHAFT LENGTH 1825	PROP.SHAFT LENGTH, FIRST AXLE
TFXJXX	MAIN PROP.SHAFT LENGTH 825	PROP.SHAFT LENGTH, MAIN AXLE
TJXA2X	TWO PIECE PROP.SHAFTS	NUMBER OF PROP.SHAFTS
TNXCAx	PROP.SHAFT FIRST BRKT, POS 01	PROP.SHAFT FIRST BRKT VERTICAL
TSXA1X	PROP.SHAFT 1 BRKT POSITION C	PROP.SHAFT 1 BRKT POS. HORIZON
X2XLHX	CROSSMEMBER1 X=5950MM	CROSSMEMBER '1' LOCATION
XMXA1X	PROP. SHAFT BRACKET FIRST POSITION ANGLE BASIC (90 DEGREES)	PROP SHAFT BRKT, FIRST, ANGLE
Y0XD1X	RIDE HIGHT 216MM TO 225 MM CL AXLE TO LOWER FRAME FLANGE	FRONT RIDE HEIGHT AT FULL LOAD
Y1XD1X	RIDE HEIGHT 211-230 MM, CL AXLE TO LOWER FRAME FLANGE	REAR RIDE HEIGHT AT FULL LOAD

CALCULATED CODES - KAX: 16 Items

BASE WARRANTY & PURCHASED COVERAGES

Code	Description	Family
M501000	NORMAL DUTY STANDARD BASE COVERAGE 12/MONTHS/100,000 MILES (US \$ CANADA BASIC CHASSIS COVERAGE
M511001	MACK MP7/MP8 BASE ENGINE COVERAGE 24 MONTHS / 250,000 MILES	MACK MP7/MP8, & MP10 ENGINE WARRANTY COVERAGE
M521001	US and CANADA EQUIPPED VEHICLE EMISSION COMPONENTS COVERAGE	EMISSION COMPONENT COVERAGE
M541004	mDRIVE TRANSMISSION NORMAL DUTY COVERAGE, ENGINE TORQUE <= 1	TRANSMISSION WARRANTY
M551001	STANDARD MACK NORMAL DUTY COVERAGE 60 MONTHS / 500,000 (805,	CARRIER & AXLE HOUSING WARRANTY
M430002	WARRANTY SMARTCODE > 1760	WARRANTY SMARTCODE TORQUE
M571000	STANDARD NORMAL / HEAVY DUTY CHASSIS TOWING 90 DAYS OR 5,000	CHASSIS TOWING WARRANTY
M581000	STANDARD MACK ENGINE TOWING COVERAGE 24 MONTHS/250,000 MILES	ENGINE TOWING WARRANTY
8980002	NORMAL DUTY WARRANTY CLASSIFICATION	VEHICLE WARRANTY TYPE
M410002	WARRANTY SMARTCODE ENGINE VE 13L	WARRANTY SMARTCODE ENGINE
M420002	WARRANTY SMARTCODE > 460 HP	WARRANTY SMARTCODE HP
M561000	AIR CONDITIONING STANDARD COVERAGE (Sealed System Only) 12	AIR CONDITIONING WARRANTY

BASE WARRANTY & PURCHASED COVERAGES: 12 Items



Year Model: 2018 CHU613
 VIN: 1M1AN07YXJM028688
 Order Number: 072895
 Build Date:
 In Service Date: 02/22/2018

Code	Description	Family
51AACX	BRAND MACK	BRAND
5290033	PINNACLE AXLE FORWARD, CONVENTIONAL SERIES (CHU)	MODEL INDENT CONDENSED
5340001	ENGLISH	LANGUAGE
7740001	AXLE FORWARD	FRONT AXLE POSITION
US00014	TSP BACK OFFICE PROCESS (PROBUILDER)	BACK OFFICE CONFIG
70BC1X	BRAKE REGULATION, STOPPING DISTANCE 76M (250 FT)	BRAKE REGULATION
9160001	CUSTOMARY - ENGLISH UNITS	DIMENSION CONVERSION
98XB2X	NORTH AMERICA NA-PROD	MARKET + AREA
99X93X	FACTORY MACUNGIE	FINAL ASSEMBLY PLANT
9PXGWX	UNITED STATES OF AMERICA	MARKET IN MAR
A192018	2018 MODEL YEAR	VEHICLE MODEL YEAR
ASDA1X	INTERIOR GENERATION, 1	INTERIOR GENERATION
AAAX28X	MACK CONVENTIONAL PRODUCTS	PRODUCT CLASS
ABXLQX	MACK CONVENTIONAL, MEDIUM X, MED HIGH CAB POS, 6*4 TRACTOR	PRODUCT TYPE
ADXD1X	EXTERIOR GENERATION FOUR	EXTERIOR PACKAGE GENERATION
APP0001	CLASS A HIGHWAY	VEHICLE APPLICATION CLASS
CDX30X	CLASSIC STYLE HOOD	CONVENTIONAL TYPE
CKX50X	CONVENTIONAL (N-SERIES)	VEHICLE PROFILE
DAX15X	6 WHEELS THEREOF 4 DRIVING	AXLE ARRANGEMENT
DDX10X	TRACTOR TYPE	CHASSIS TYPE
DHX10X	WELL MAINTAINED SURFACED ROADS >95% DRIVING DISTANCE	ROAD CONDITION
DXKG2X	36.0 TONNES, GROSS COMBINATION WEIGHT	GROSS COMBINATION WEIGHT
E1BD1X	AMB TEMP HOT, UP TO +40C, WARMER ALLOWED 25 H/YEAR	AMBIENT TEMP UPPER LIMIT (GTA)
FAP2380	FRONT AXLE POSITION, 2380MM	FRONT AXLE POSITION
FAX20X	STEERING WHEEL POSITION, LEFT HAND SIDE	STEERING WHEEL POS.
FDXD1X	2 REAR AXLES, 2 DRIVEN	REAR AXLE ARRANGEMENT
FYX10X	FRONT AXLE POSITION, 2380MM	FRONT AXLE POSITION
LAX05X	ELECTRICAL SYSTEM 12 VOLT	VOLTAGE
M29722	CHU613	MODEL SALES CODE
P810188	2008-10-07	
PT10003	CMM 64T - ANTHEM / PINNACLE TRACTOR	PRODUCT TYPE
QCXA1X	GRADES <3% DURING >98% OF DRIVING DIST. MAX GRADE 8%	TOPOGRAPHY
SRZ108	CHU613 T (13L) - 6x4 SLEEPER	
5060002	6X4	NUMBER OF AXLES
5051701	ALL 50 STATES, CARB ENGINE EMISSION (US17)	INITIAL REGISTRATION LOCATION
39XE1X	CERTIFICATION LABELS, USA	CERTIFICATION LABELS
38XAEX	1ST PUBLICATION LANGUAGE AMERICAN ENGLISH	FIRST PUBLICATION LANGUAGE
36XDZX	ENGLISH DECALS/SIGNS	LANGUAGES ON DECALS/SIGNS
1YAA1X	CARB REGULATIONS CERTIFICATION	USA STATE REGULATIONS
0130001	COMMERCIAL	TYPE OF SERVICE
0070001	SELECT AN APPLICATION	VEHICLE USE AND BODY/TRAILER TYPE
0060001	SELECT AN APPLICATION	VEHICLE USE AND BODY/TRAILER TYPE
0050003	VAN TRAILER	VEHICLE USE AND BODY/TRAILER TYPE
0022851	CHU613 T 13L SLEEPER	CHASSIS (BASE MODEL)
0010001	TRACTOR	VEHICLE TYPE
78XA1X	LESS THAN ONE DELIVERY OR PICK-UP OF GOODS EVERY 50KM	TRANSPORT CYCLE

TOTALS: 719 Items

Report Date: 2/20/2024 9:45:45 AM

This Information is Confidential