Used Holz-Her Triathlon 1488 Ser No. 307 Year 2005

The 1488 was a very reliable machine and considered a real work horse for the medium to large high production shop.

Includes the melt on demand cartridge glue system that Holz-Her is famous for. Comes standard set up for 3mm tooling but can be changed to 2mm as well. Exellent for closet shops, euro case cabinet shops, faceframe shops and commercial. Also good for furniture shops for solid wood edging or countertop shops for running HPL and solid wood edging.

Includes PLC control for glue control and basic programs as well as job data.

- Granupress melt on demand, with a 3 mm edge thickness capacity, automatic magazine for coil and strips. 3 MM PVC capacity pneumatic guillotine for coil cutoff.
- Workstations are as follows: Double motor end trim, chamfers 0 10 degrees, ((2) 0.22 kW 9,000 RPM motors), universal top and bottom fine trim for bevels from 0 15 degrees, top and bottom profile trimming (1 HP 22,000 RPM motor each).
- Top and bottom PVC scraper unit for 0.8 5 MM radius, and top and bottom buffing (0.3 HP 1,620 RPM motors each). Flat glue line scraper prior to buffer (PCS).
- Includes: Programable Logic Control for easy setup and program storage, Pneumatic Changeover System on the trim stations, fixed outboard panel support and full sound enclosure as well as edgebanding supplies.

SPECIFICATIONS:

- Workpiece Thickness: 6mm 45mm
- Edge band Thickness: 0, 3-4mm
- Max Edge Band Height: 51mm
- Min. Edge Band Length Strips: 350mm
- Max Edge Band Projection/Height per Side: 3mm
- Min. Workpiece Width: 60mm
- Max Workpiece Length: 180mm
- Feed Speed: 26.24 Ft/min
- Belted feed beam

Stations:

> 1005-2 IVIUILI IVIAUAZINE (2 CHANNE	> 1805-2	Multi Magazine (2 channel
---------------------------------------	----------	---------------------------

> 1907 Glue Station

> 1926 short pneumatic pressure section

> 1819 end trim unit > 1962 MOT3 trim unit

> 1962 MOT3 trim unit Hogging Station
> 1966 MOT7 Multi-profile Finish Trim
> 1934 MOT3 Bottom Corner Round
> 1933 MOT3 Top Corner Round
> 1927MOT1 Radius Scrape

Finish Scrape

> 1851K Buffing Station

Here are a few videos of this machine in operation –

2005 Holz-Her Triathlon 1488 in operation


Modified outrigger support in operation


Everything is used and represented working condition and has not been refurbished. No implied warranty. Sold as is where is.




















freshly sharpened diamond tipped premill cutters, multi feed unit